# Nikuni Regenerative Turbine Pumps for High Quality Applications

Simple Structure 

Precision Machined

Robust • Quiet Operation

High Pressure ◆ Small Flow Rate

Due to their design, Nikuni's regenerative turbine pumps have stable operation. Pressure differences do not cause a large flow rate difference.





Problems with Galvanic corrosion?

The stainless steel impeller in Nikuni's regenerative turbine pumps is highly resistant to galvanic corrosion.

Performance does not have to go down with continuous operation. By using Nikuni's precision regenerative turbine pumps, you can reduce down time, maintenance fees, and life cycle costs.

Nikuni America Inc. 837 Oakton Street Suite F Elk Grove Village, II. 60007 Tel. (224) 404-4051 Web. www.nikuniamerica.com

### Nikuni Regenerative Turbine Pumps for High Quality Applications

### Many advantages over traditional regenerative turbine pumps!



**D** Series

**Super Cost Performance** 

Stainless Steel Lead-free Copper

Total Head: Max. 110m Flow Rate: Max 75 L/min Liquid Temp.: -4°F ~ 248°F



#### **BKX Series**

DC Brushless and Sealless

#### **No Mounting Restrictions**

Ultra Compact High Pressure, Small Flow Rate No Leakage

Total Head: Max. 60m Flow Rate: Max 16 L/min Liquid Temp.: 14°F ~ 176°F



#### **NPD Series**

Mechanical Shaft and Seal

Stainless Steel General Purpose

Total Head: Max. 60m Flow Rate: Max 130 L/min Liquid Temp.: -4°F ~ 194°F

For more information please feel free to contact us at: info@nikuniamerica.com

Additional models also availiable







Nikuni America Inc. 837 Oakton Street Suite F Elk Grove Village, II. 60007 Tel. (224) 404-4051 Web. www.nikuniamerica.com


## Nikuni Regenerative Turbine Pump Features

Machined stainless steel impeller





- Resistant to cavitation
- ◆Flow is easy to reverse◆
  - Easy maintenance

 Designed with a focus on parallellism, perpendicularity, and concentricity



Max head of 26 feet: small flow rate, high head





Nikuni America Inc. 837 Oakton Street Suite F Elk Grove Village, II. 60007 Tel. (224) 404-4051 Web. www.nikuniamerica.com